

## Historic, archived document

Do not assume content reflects current  
scientific knowledge, policies, or practices.







UNITED STATES DEPARTMENT OF AGRICULTURE  
Bureau of Agricultural Economics  
Tobacco Section.

TOBACCO STOCKS REPORT

LEAF TOBACCO HELD BY MANUFACTURERS AND DEALERS APRIL 1, 1931.

Washington, D. C.  
May 14, 1931.



EXPLANATION OF GROUP SYMBOLS.

GROUPS OF TYPES 11, 12, 13 and 14:

A-Wrappers  
B-Heavy Leaf, Cutting Leaf,  
and Fillers.  
C-Thin Leaf or Cutters.  
X-Lugs and Ground Leaves..  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPES 21, 22, 23 and 24:

A-Wrappers..  
B-Heavy Leaf.  
C-Thin Leaf.  
X-Lugs..  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPE 31:

A-Wrappers.  
B-Leaf or Fillers and Tips..  
C-Lugs or Cutters.  
X-Trash, Flyings, and Spods.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPE 32:

B-Heavy Leaf, locally known as  
Dull Crop.  
C-Thin Leaf, locally known as  
Bright Crop.  
X-Seconds and Ground Leaves.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPES 35, 36 and 37:

A-Wrappers..  
B-Heavy Leaf.  
C-Thin Leaf.  
X-Lugs..  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPE 41:

B-Binders or Tops..  
C-Fillers, locally known as  
Wrappers or B'S.  
X-Stemming, Farm Fillers, Ground  
Leaves, and crops unsuitable  
for sorting.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPES 42, 43 and 44:

C-Fillers, locally known as Wrappers.  
X-Stemming, Farm Fillers, Ground  
Leaves and crops unsuitable for  
sorting.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPE 45:

C-Fillers..  
X-Stemming, Ground Leaves, and crops  
unsuitable for sorting.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPE 46:

C-Tripas or Fillers.  
X-Resagos, Terceros, Doliches, and  
crops unsuitable for sorting.  
S-Scrap (Picadura), as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPES 51, 52 and 53:

A-Wrappers..  
B-Binders, locally known as Seconds.  
C-Fillers, locally known as Tips or  
B'S.  
X-Stemming, Sand-Leaf Fillers, Ground  
Leaves, and crops unsuitable for  
sorting.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPES 54 and 55:

B-Binders..  
C-Fillers, locally known as Tips or  
B'S.  
X-Stemming, Sand-Leaf Fillers, Bottom  
Leaves, and crops unsuitable for  
sorting.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPES 61 and 62:

A-Wrappers..  
B-Binders..  
C-Fillers, or Tips..  
X-Trashy Fillers or Loose Leaves.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

---

\* For definitions of Scrap and Nondescript see Service and Regulatory  
Announcement No. 118, a copy of which will be sent upon request.

TOBACCO STOCKS.  
SUPPLEMENTAL REPORT BY GROUPS OF GRADES.  
APRIL 1, 1931.

U. S. TYPE 11.-OLD BELT FLUE-CURED VIRGINIA AND NORTH CAROLINA.

Group	New Crop		Old Crop		April 1	January 1
	Unstemmed : 1000 lbs.	Stemmed : 1000 lbs.	Unstemmed : 1000 lbs.	Stemmed : 1000 lbs.	Group Totals : 1000 lbs.	Group Totals : 1000 lbs.
A	7,703	1	830	-	8,534	8,406
B	105,547	5,555	1,699	455	113,256	101,236
C	89,368	6,455	423	100	96,346	110,296
X	107,080	22,076	5,235	178	134,569	126,362
S	5,622	114	325	112	6,173	4,989
N	306	-	4	-	310	393
Total	315,626	34,201	8,516	845	359,188	351,682

U. S. TYPE 12.-EASTERN NORTH CAROLINA FLUE-CURED.

A	260	-	-	-	260	236
B	61,374	2,237	74	12	63,697	67,911
C	81,474	4,081	135	561	86,251	91,573
X	91,590	15,648	704	42	107,984	115,017
S	5,041	35	188	1	5,265	4,867
N	795	-	-	-	795	328
Total	240,534	22,001	1,101	616	264,252	279,932

U. S. TYPE 13.-SOUTH CAROLINA FLUE-CURED (INCLUDING SOUTHEASTERN NC)

A	778	-	-	-	778	803
B	29,393	677	71	45	30,186	33,356
C	31,966	2,081	29	-	34,076	36,112
X	51,150	7,772	197	3	59,122	67,585
S	602	193	2	56	853	1,052
N	278	-	-	-	278	296
Total	114,767	10,723	299	104	125,293	139,204

U. S. TYPE 14.-GEORGIA AND FLORIDA FLUE-CURED.

A	420	-	-	-	420	673
B	11,708	6,142	20	-	17,870	24,002
C	5,171	39,126	20	1	44,318	48,755
X	10,002	9,188	39	-	19,229	24,200
S	555	4	-	-	559	477
N	83	-	-	-	83	58
Total	27,939	54,460	79	1	82,479	98,165

(Figures rounded to nearest thousand pounds)



U. S. TYPE 21.-VIRGINIA FIRE-CURED.

Group	New Crop		Old Crop		April 1	January 1.
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Total
	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.
A	: 1,519	: -	: 61	: -	: 1,580	: 1,340
B	: 5,147	: 185	: 4,734	: -	: 10,066	: 9,707
C	: 2,456	: -	: 106	: -	: 2,562	: 2,159
X	: 20,314	: 456	: 3,043	: 2	: 23,815	: 19,890
S	: 205	: -	: 21	: -	: 226	: 211
N	: 115	: -	: -	: -	: 115	: 85
Total	: 29,756	: 641	: 7,965	: 2	: 38,364	: 33,392

U. S. TYPE 22.-TENNESSEE AND KENTUCKY FIRE-CURED (EASTERN DISTRICT C.H. & S)

A	: 3,987	: 4	: 3	: -	: 3,994	: 2,693
B	: 80,851	: 106	: 1,261	: -	: 82,218	: 60,134
C	: 9,027	: 35	: 11	: -	: 9,073	: 5,804
X	: 24,321	: 89	: 92	: -	: 24,502	: 9,581
S	: 898	: 10	: 25	: -	: 933	: 768
N	: 1,428	: -	: -	: -	: 1,428	: 283
Total	: 120,512	: 244	: 1,392	: -	: 122,148	: 79,263

U. S. TYPE 23.-KENTUCKY AND TENNESSEE FIRE-CURED (WESTERN DISTRICT M & P)

A	: 288	: 1	: 1	: -	: 290	: 268
B	: 20,423	: 274	: 282	: 5	: 20,984	: 15,292
C	: 4,346	: -	: 15	: -	: 4,361	: 2,763
X	: 6,229	: -	: 24	: -	: 6,253	: 2,715
S	: 196	: 6	: 3	: -	: 205	: 204
N	: 163	: -	: -	: -	: 163	: 46
Total	: 31,645	: 281	: 325	: 5	: 32,256	: 21,288

U. S. TYPE 24.-HENDERSON STEMMING OR NORTHERN FIRE-CURED.

A	: 265	: -	: -	: -	: 265	: 90
B	: 3,174	: 699	: -	: -	: 3,873	: 1,576
C	: 767	: -	: -	: -	: 767	: 356
X	: 3,072	: 3	: -	: -	: 3,075	: 1,225
S	: 520	: 1	: 2	: -	: 523	: 525
N	: 16	: -	: -	: -	: 16	: 16
Total	: 7,814	: 703	: 2	: -	: 8,519	: 3,788

(Figures rounded to nearest thousand pounds)



U. S. TYPE 31.-BURLEY.

Group	New Crop		Old Crop		April 1	January 1.
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.
A	: 1,536	: 3	: 7	: -	: 1,546	: 1,477
B	: 251,942	: 39,393	: 307	: 1,300	: 292,942	: 195,697
C	: 145,924	: 10,880	: 458	: 1,027	: 158,289	: 136,369
X	: 97,061	: 7,575	: 216	: 159	: 105,011	: 66,311
S	: 7,011	: 739	: 360	: 2	: 8,112	: 6,734
N	: 2,106	: -	: 4	: -	: 2,110	: 969
Total	: 505,580	: 58,590	: 1,352	: 2,483	: 568,010	: 407,557

U. S. TYPE 32.-SOUTHERN MARYLAND.

B	: 644	: -	: -	: -	: 644	: 523
C	: 12,078	: 589	: 2	: -	: 12,669	: 14,875
X	: 1,083	: 56	: 3	: -	: 1,142	: 1,551
S	: 33	: 71	: -	: -	: 104	: 55
N	: 56	: -	: -	: -	: 56	: 34
Total	: 13,894	: 716	: -	: -	: 14,615	: 17,038

U. S. TYPE 35.-ONE SUCKER.

A	: 1,719	: -	: 8	: -	: 1,727	: 1,161
B	: 19,232	: 3	: 713	: 83	: 20,031	: 12,364
C	: 12,834	: -	: 94	: -	: 12,928	: 7,565
X	: 11,740	: 216	: 428	: -	: 12,384	: 7,247
S	: 653	: -	: 10	: 22	: 685	: 382
N	: 602	: -	: -	: -	: 602	: 461
Total	: 46,780	: 219	: 1,253	: 105	: 48,357	: 29,180

U. S. TYPE 36.-GREEN RIVER.

A	: 321	: -	: -	: -	: 321	: 434
B	: 11,653	: 542	: 675	: -	: 12,870	: 11,362
C	: 1,712	: -	: 472	: -	: 2,184	: 2,338
X	: 12,400	: 372	: 265	: 20	: 13,057	: 12,401
S	: 862	: 6	: -	: -	: 868	: 826
N	: 8	: -	: -	: -	: 8	: 8
Total	: 26,956	: 920	: 1,412	: 20	: 29,308	: 27,369

U. S. TYPE 37.-VIRGINIA SUN-CURED.

A	: 244	: -	: -	: -	: 244	: 153
B	: 741	: 14	: 50	: 84	: 889	: 1,089
C	: 621	: 1	: 44	: 5	: 671	: 661
X	: 806	: 1,970	: 31	: 29	: 2,836	: 1,896
S	: 69	: -	: -	: -	: 69	: 56
Total	: 2,481	: 1,985	: 125	: 118	: 4,709	: 3,855

(Figures rounded to nearest thousand pounds.)

U. S. TYPE 41.-PENNSYLVANIA SEEDLEAF.

Group	New Crop		Old Crop		April 1	January 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
B	11,777	932	71	1	12,781	1,876
C	47,573	2,832	2,295	238	52,991	53,371
X	10,835	3,476	18	-	14,379	13,266
S	25	207	-	2	234	271
N	1	1	-	-	2	6
Total	70,261	7,498	2,387	241	80,387	68,790

U. S. TYPE 42.-GEBHARDT, MIAMI VALLEY.

C	14,203	657	720	172	15,752	9,343
X	3,111	8	22	-	3,141	1,108
S	113	22	-	-	135	27
N	2	-	-	-	2	12
Total	17,429	687	742	172	19,030	10,490

U. S. TYPE 43.-ZIMMER, MIAMI VALLEY.

C	13,046	165	1,862	48	15,139	12,488
X	3,081	327	237	-	3,645	2,243
S	41	21	-	-	35	95
N	10	-	-	-	10	1
Total	16,151	532	2,099	48	18,829	14,827

U. S. TYPE 44.-DUTCH, MIAMI VALLEY.

C	135	-	-	-	135	4,396
X	14,025	453	391	5	14,874	765
S	1,394	45	3	-	1,442	22
N	170	44	-	-	214	2
Total	15,724	542	394	5	16,665	5,185

U. S. TYPE 45.-GEORGIA AND FLORIDA SUN-GROWN.

C	1,572	591	-	-	2,163	1,987
X	4	5	-	-	9	2
S	6	43	-	-	49	43
N	-	2	-	-	2	1
Total	1,582	641	-	-	2,223	2,033

U. S. TYPE 46.-PORTO RICAN SUN-GROWN.

C	1,176	19,593	88	40	20,897	20,036
X	1,606	3,552	-	-	5,158	5,464
S	311	1,566	-	-	1,877	1,739
N	-	-	-	-	-	25
Total	3,093	24,711	88	40	27,932	27,264

(Figures rounded to nearest thousand pounds.)



U. S. TYPE 51.-CONNECTICUT VALLEY BROADLEAF.

Group	New Crop		Old Crop		April 1	January 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.
A	: 3,728	: 6	: 51	: -	: 3,785	: 2,657
B	: 16,945	: 133	: 753	: 22	: 17,853	: 12,515
C	: 1,580	: 75	: 98	: -	: 1,753	: 1,052
X	: 4,875	: 2,266	: -	: 186	: 7,327	: 7,139
S	: 3	: 32	: -	: 5	: 40	: 74
N	: -	: -	: -	: -	: -	: 1
Total	: 27,131	: 2,512	: 902	: 213	: 30,758	: 23,438

U. S. TYPE 52.-CONNECTICUT VALLEY HAVANA SEED.

A	: 2,867	: 3	: 81	: -	: 2,951	: 2,108
B	: 27,824	: 776	: 1,815	: 10	: 29,725	: 21,820
C	: 1,433	: 43	: 3	: -	: 1,479	: 1,356
X	: 4,519	: 3,485	: -	: 6	: 8,010	: 7,356
S	: 2	: 9	: -	: -	: 11	: 10
N	: -	: -	: -	: -	: -	: 89
Total	: 36,645	: 3,616	: 1,899	: 16	: 42,176	: 32,739

U. S. TYPE 53.-NEW YORK AND PENNSYLVANIA HAVANA SEED.

A	: 40	: 1	: 2	: 1	: 44	: 43
B	: 428	: 3	: 36	: -	: 467	: 443
C	: 178	: 10	: -	: -	: 188	: 269
X	: 2,742	: 88	: -	: -	: 2,830	: 2,073
S	: 15	: 12	: -	: 2	: 29	: 9
Total	: 3,403	: 114	: 38	: 3	: 3,558	: 2,837

U. S. TYPE 54.-SOUTHERN WISCONSIN.

B	: 10,459	: 26	: 1,070	: 142	: 11,697	: 8,548
C	: 3,497	: 160	: -	: -	: 3,657	: 3,204
X	: 29,945	: 10,353	: 69	: -	: 40,367	: 32,741
S	: 14	: 50	: -	: -	: 64	: 79
Total	: 43,915	: 10,589	: 1,139	: 142	: 55,785	: 44,572

U. S. TYPE 55.-NORTHERN WISCONSIN.

B	: 14,046	: 75	: 179	: 4	: 19,904	: 13,896
C	: 2,493	: 135	: 23	: -	: 3,151	: 1,752
X	: 14,501	: 4,096	: -	: -	: 18,597	: 13,026
S	: 17	: 34	: -	: -	: 51	: 45
N	: 27	: -	: -	: -	: 27	: -
Total	: 37,184	: 4,340	: 202	: 4	: 41,730	: 28,719

(Figures rounded to nearest thousand pounds.)

U. S. TYPE 61.-CONNECTICUT VALLEY SHADE.

Group	New Crop		Old Crop		April 1	January 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.
A	5,810	12	13	-	5,635	7,608
B	4,024	97	21	-	4,142	2,958
C	311	342	56	1	710	859
X	234	2	-	-	236	224
S	-	86	-	2	86	111
N	5	2	-	-	7	11
Total	10,184	541	90	3	10,818	11,771

U. S. TYPE 62.-GEORGIA AND FLORIDA SHADE.

A	3,562	32	2	-	3,596	4,373
B	581	39	-	-	620	709
C	172	-	-	-	172	35
X	33	5	-	-	38	41
S	-	2	-	-	2	4
N	-	-	-	-	-	3
Total	4,348	78	2	-	4,428	5,165

U. S. TYPE 70.-MISCELLANEOUS DOMESTIC.

No Groups:	2,385	466	19	103	2,973	2,723
------------	-------	-----	----	-----	-------	-------

U. S. TYPE 80.-FOREIGN-GROWN CIGAR LEAF TOBACCO.

No Groups:	6,916	8,545	162	33	15,656	13,689
------------	-------	-------	-----	----	--------	--------

U. S. TYPE 90.-FOREIGN -GROWN TOBACCO OTHER THAN CIGAR LEAF.

No Groups:	76,639	16	3,677	-	80,332	67,501
------------	--------	----	-------	---	--------	--------

GRAND TOTAL ALL TYPES.

	New Crop		Old Crop		Grand Total
	Unstemmed	Stemmed	Unstemmed	Stemmed	
	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.	
April 1, 1931	1,556,674	251,111	37,666	5,327	2,150,778
January 1, 1931	1,564,279	239,200	43,759	6,238	1,853,476

(Figures rounded to nearest thousand pounds.)



TYPE NAME	U.S.:	NEW CROPS		OLD CROPS		T O T A L		T Y P E	
		1927, 1928, 1929, 1930:	1930:	1927:	1928:	1931:	1930:	1931:	1930:
No.:	No.:	1000 lbs.:	1000 lbs.:	1000 lbs.:	1000 lbs.:	1000 lbs.:	1000 lbs.:	1000 lbs.:	1000 lbs.:
Old Belt Flue-cured Va. & N. C.	11	315,626	34,201	8,516	359,188	351,682	326,274	345,589	345,589
Eastern N. C. Flue-cured	12	240,534	22,001	1,101	264,252	279,932	212,990	254,702	254,702
South Carolina Flue-cured (in- cluding Southeastern N. C.)	13	114,167	10,723	299	125,293	139,204	92,924	113,836	113,836
Ga. and Florida Flue-cured	14	27,939	54,460	79	82,479	98,165	74,961	81,357	81,357
Total Flue-cured	-	698,266	121,385	9,995	831,212	868,983	707,149	795,484	795,484
Virginia Fire-cured	21	29,756	641	7,965	38,364	33,392	40,021	34,997	34,997
Tenn. and Ky. Fire-cured (Eastern District C. H. and S.)	22	120,512	244	1,392	122,148	79,263	125,173	79,385	79,385
Ky. & Tenn. Fire-cured (Western District M. & P.)	23	31,645	281	325	32,256	21,288	33,450	27,475	27,475
Henderson Stemming or Northern Fire-cured	24	7,814	703	2	8,519	3,788	5,089	2,794	2,794
Total Fire-cured	-	189,727	1,869	9,684	201,287	137,731	203,733	144,651	144,651
Burley	31	505,580	58,590	1,352	568,010	407,557	506,378	352,803	352,803
Southern Maryland	32	13,894	716	5	14,615	17,038	11,960	15,304	15,304
Total Light Air-cured	-	519,474	59,306	1,357	582,825	424,595	518,338	368,107	368,107
One Sucher	35	46,780	219	1,253	48,357	29,180	38,218	29,852	29,852
Green River	36	26,956	920	1,412	29,308	27,369	35,618	30,824	30,824
Va. Sun-cured	37	2,481	1,985	125	4,709	3,855	5,820	4,941	4,941
Total Dark Air-cured	-	76,217	3,124	2,790	82,374	60,404	79,656	65,617	65,617
Pennsylvania Seedleaf	41	70,261	7,498	2,387	80,387	68,790	93,795	73,186	73,186
Gebhardt (Ohio-Miami Valley)	42	17,429	687	742	19,030	10,490	14,946	12,267	12,267
Zimmer (Ohio-Miami Valley)	43	16,151	531	2,099	18,829	14,827	19,966	16,141	16,141
Dutch (Ohio-Miami Valley)	44	15,724	542	394	16,665	5,185	6,536	6,094	6,094
Ga. and Fla. Sun-grown	45	1,582	641	-	2,223	2,033	1,319	1,538	1,538
Porto Rican Sun-grown	46	3,093	24,711	88	27,932	27,284	28,442	29,039	29,039
Total Cigar-Filler Types	-	124,240	34,610	5,710	165,066	128,609	165,004	138,265	138,265
Conn. Valley Broadleaf	51	27,131	2,512	902	30,758	23,438	30,072	29,507	29,507
Conn. Valley Havana Seed	52	36,645	3,616	1,899	42,176	32,739	43,468	33,487	33,487
N. Y. and Pa. Havana Seed	53	3,403	114	38	3,558	2,837	2,811	2,395	2,395
Southern Wisconsin	54	43,915	10,589	1,139	55,785	44,572	60,339	43,313	43,313
Northern Wisconsin	55	37,184	4,340	202	41,730	28,719	41,081	29,301	29,301
Total Cigar Binder Types	-	148,278	21,171	4,180	174,007	132,305	177,771	138,003	138,003
Conn. Valley Shade	61	10,184	541	90	10,818	11,771	10,499	11,329	11,329
Ga. and Fla. Shade	62	4,348	78	2	4,428	5,165	4,950	5,048	5,048
Total Shade-grown	-	14,532	619	92	15,246	16,936	15,449	16,377	16,377
Miscellaneous Domestic	70	2,385	466	19	2,973	2,723	4,105	1,989	1,989
Foreign Cigar leaf	80	6,916	8,545	162	15,656	13,889	15,124	13,318	13,318
Foreign other than cigar leaf	90	76,639	16	3,677	80,332	67,501	78,917	72,640	72,640
TOTAL ALL TYPES	-	1,856,674	251,111	37,666	2,150,778	1,853,476	1,965,246	1,754,451	1,754,451

These statistics represent the quantity of leaf tobacco reported as held by all leaf tobacco dealers, manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners, except (a) the original growers of tobacco (b) manufacturers who in 1930, according to the returns of the Commissioner of Internal Revenue, manufactured less than 50,000 pounds of tobacco, less than 250,000 cigars, or less than 1,000,000 cigarettes, or (c) dealers who, on the average had less than 50,000 pounds of leaf tobacco in stock at the ends of the four quarters of 1930, pursuant to the provisions of the Tobacco Stocks and Standards Act, approved January 14, 1929.







